

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Excellent Wood Floor Lacquer

**Product no.**

-

**REACH registration number**

Not applicable

**Other means of identification**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

wood surfaces, indoors

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

WoodCare Denmark A/S

Tværvej 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax: +45 99585634

**Contact person**

LFH

**E-mail**

info@ttwoodcare.com

**SDS date**

06-08-2015

**SDS Version**

2.0

### 1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

## SECTION 2: Hazards identification

### ▼ 2.1. Classification of the substance or mixture

This product is not classified as dangerous.

See full text of H-phrases in section 2.2.

### 2.2. Label elements

**Hazard pictogram(s)**

-

**Signal word**

-

**Hazard statement(s)**

-

<b>Safety statement(s)</b>	General	-
	Prevention	-
	Response	-
	Storage	-

## Disposal -

**Identity of the substances primarily responsible for the major health hazards**▼ **2.3. Other hazards**

This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

▼ **Additional labelling**

Contains 1,2-benzisothiazol-3(2H)-one, 5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1). May produce an allergic reaction. Safety data sheet available on request. (EUH210)

**Additional warnings**▼ **VOC**

VOC-MAX: 50 g/l, MAXIMUM VOC CONTENT (A (WB)): 140 g/l.

**SECTION 3: Composition/information on ingredients**▼ **3.1/3.2. Substances/Mixtures**

NAME:	(2-methoxymethylethoxy)propanol
IDENTIFICATION NOS.:	CAS-no: 34590-94-8 EC-no: 252-104-2
CONTENT:	1-3%
CLP CLASSIFICATION:	NA
NOTE:	S

NAME:	1-butoxypropan-2-ol
IDENTIFICATION NOS.:	CAS-no: 5131-66-8 EC-no: 225-878-4 Index-no: 603-052-00-8
CONTENT:	1-3%
CLP CLASSIFICATION:	Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2 H226, H315, H319
NOTE:	S

NAME:	Alcohols, C13-15-branched and linear, ethoxylated
IDENTIFICATION NOS.:	CAS-no: 157627-86-6
CONTENT:	<1%
CLP CLASSIFICATION:	Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 3 H318, H400, H412

(\*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

S = Organic solvent

**Other informations****SECTION 4: First aid measures****4.1. Description of first aid measures**▼ **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

**Inhalation**

Get the person into fresh air and stay with them.

**Skin contact**

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

**Eye contact**

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

**Ingestion**

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting

unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

#### **Burns**

Not applicable

#### **▼ 4.2. Most important symptoms and effects, both acute and delayed**

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No special

#### **Information to medics**

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

#### **5.2. Special hazards arising from the substance or mixture**

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

#### **6.2. Environmental precautions**

No specific requirements.

#### **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

#### **6.4. Reference to other sections**

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

See section on 'Exposure controls/personal protection' for information on personal protection.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original.

#### **▼ Storage temperature**

Store frost-free.

#### **7.3. Specific end use(s)**

This product should only be used for applications described in Section 1.2

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

#### **▼ OEL**

According to EC-Regulation 1907/2006 (REACH)

(2-methoxymethylethoxy)propanol (EH40/2005)  
 Long-term exposure limit (8-hour TWA reference period): 50 ppm | 308 mg/m<sup>3</sup>  
 Short-term exposure limit (15-minute reference period): - ppm | - mg/m<sup>3</sup>  
 Comments: Sk (Sk = Can be absorbed through skin. )

**DNEL / PNEC**

No data available.

**8.2. Exposure controls**

Compliance with the stated exposure limits values should be checked on a regular basis.

**General recommendations**

▼ Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

**Exposure scenarios**

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

**Exposure limits**

Trade users are covered by the rules of the working environment legislation on maximum concentrations for exposure. See work hygiene threshold values below.

**Appropriate technical measures**

Airborne gas and dust concentrations must be kept as low as possible and below the current threshold values (see below). Use for example an exhaust system if the normal air flow in the work room is not sufficient. Make sure that eyewash and emergency showers are clearly marked.

**Hygiene measures**

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

**Measures to avoid environmental exposure**

No specific requirements.

**Individual protection measures, such as personal protective equipment**



▼ **Generally**

Use only CE marked protective equipment.

**Respiratory Equipment**

No specific requirements.

**Skin protection**

No specific requirements.

▼ **Hand protection**

Recommended: Nitrile rubber. . See the manufacturer's instructions

▼ **Eye protection**

Use face shield. Use safety glasses with a side shield as an alternative.

**SECTION 9: Physical and chemical properties**

▼ **9.1. Information on basic physical and chemical properties**

Form	Colour	Odour	pH	Viscosity	Density (g/cm <sup>3</sup> )
Liquid	White	Faint	7,5-8,5	-	1-1,1

**Phase changes**

Melting point (°C)	Boiling point (°C)	Vapour pressure (mm Hg)
-	-	-

**Data on fire and explosion hazards**

Flashpoint (°C)	Ignition (°C)	Self ignition (°C)
-	-	-

Explosion limits (Vol %)	Oxidizing properties
-	-

**Solubility**

Solubility in water	n-octanol/water coefficient
Soluble	-

**9.2. Other information**

Solubility in fat

-

Additional information

N/A

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance

No data available.

Species

Test

Route of exposure

Result

#### ▼ Skin corrosion/irritation

No data available.

#### Serious eye damage/irritation

No data available.

#### Respiratory or skin sensitisation

No data available.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

#### ▼ Long term effects

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance

No data available.

Species

Test

Test duration

Result

### 12.2. Persistence and degradability

Substance

No data available.

Biodegradability

Test

Result

### 12.3. Bioaccumulative potential

Substance

Potential bioaccumulation

LogPow

BFC

According to EC-Regulation 1907/2006 (REACH)

No data available.

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### ▼ 12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

This product is not covered by the regulations on dangerous waste.

##### Waste

EWC code

-

##### Specific labelling

-

##### Contaminated packing

No specific requirements.

### SECTION 14: Transport information

Not listed as dangerous goods under ADR, IMDG and IATA/ICAO regulations.

#### 14.1 – 14.4

##### ADR/RID

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

Notes

Tunnel restriction code

##### IMDG

UN-no.

Proper Shipping Name

Class

PG\*

EmS

MP\*\*

Hazardous constituent

##### IATA/ICAO

UN-no.

Proper Shipping Name

Class

PG\*

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

-

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### ▼ Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC.

### Demands for specific education

-

### Additional information

### Sources

EC regulation 1907/2006 (REACH)

Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

## 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### ▼ Full text of H-phrases as mentioned in section 3

H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

H400 - Very toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

-

### Other symbols mentioned in section 2

-

### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

### The safety data sheet is validated by

Admin

### Date of last essential change (First cipher in SDS version)

16-02-2015

### Date of last minor change (Last cipher in SDS version)

06-08-2015