

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Exterior Gel

**REACH registration number**

Not applicable

**Other means of identification**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

surface treatment of wood outdoors

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

WoodCare Denmark A/S

Tværvej 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax: +45 99585634

**Contact person**

LFH

**E-mail**

info@ttwoodcare.com

**SDS date**

01-05-2015

**SDS Version**

2.0

### 1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Aquatic Chronic 3 // EUH066, H412

See full text of H/R-phrases in section 2.2.

**▼DPD/DSD Classification**

-

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R52/53).

Repeated exposure may cause skin dryness or cracking (R66).

### 2.2. Label elements

**Hazard pictogram(s)**

-

**Signal word**

-

**▼Hazard statement(s)**

Harmful to aquatic life with long lasting effects. (H412)

According to EC-Regulation 1907/2006 (REACH)

▼ <b>Safety statement(s)</b>	<b>General</b>	If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102) Read label before use. (P103)
	<b>Prevention</b>	Avoid release to the environment. (P273)
	<b>Response</b>	-
	<b>Storage</b>	-
	<b>Disposal</b>	Dispose of contents/container to an approved waste disposal plant. (P501)

**Identity of the substances primarily responsible for the major health hazards**

-

**2.3. Other hazards**

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying. This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

▼ **Additional labelling**

Contains propiconazole, 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction. Repeated exposure may cause skin dryness or cracking. (EUH066)

**Additional warnings**

-

▼ **VOC**

VOC-MAX: 265 g/l, MAXIMUM VOC CONTENT (A (SB)): 700 g/l.

**SECTION 3: Composition/information on ingredients**

▼ **3.1/3.2. Substances**

NAME:	Naphtha (petroleum), hydrotreated heavy
IDENTIFICATION NOS.:	CAS-no: 64742-48-9 EC-no: 265-150-3 Index-no: 649-327-00-6
CONTENT:	25-40%
DSD CLASSIFICATION:	Xn; R65 R66
CLP CLASSIFICATION:	Asp. Tox. 1 H304, EUH066
NOTE:	S
NAME:	propiconazole
IDENTIFICATION NOS.:	CAS-no: 60207-90-1 EC-no: 262-104-4 Index-no: 613-205-00-0
CONTENT:	<1%
DSD CLASSIFICATION:	Xn; R22 R43 N; R50-53
CLP CLASSIFICATION:	Acute tox. 4, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1 H302, H317, H400, H410
NAME:	3-iodo-2-propynyl butylcarbamate
IDENTIFICATION NOS.:	CAS-no: 55406-53-6 EC-no: 259-627-5
CONTENT:	<1%
DSD CLASSIFICATION:	Xn; R20/22 Xi; R41 R43 N; R50
CLP CLASSIFICATION:	Acute Tox. 4, STOT SE 3, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 H302, H317, H318, H332, H335, H400

(\*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.

S = Organic solvent

**Other informations**

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

▼ **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

▼ **Inhalation**

Get the person into fresh air and stay with them.

▼ **Skin contact**

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ **Eye contact**

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

▼ **Ingestion**

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

**Burns**

Rinse with water until the pain stops and continue for 30 minutes.

**4.2. Most important symptoms and effects, both acute and delayed**

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

**4.3. Indication of any immediate medical attention and special treatment needed**

No special

**Information to medics**

Bring this safety data sheet.

## SECTION 5: Firefighting measures

▼ **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

▼ **5.2. Special hazards arising from the substance or mixture**

No special

▼ **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

**6.2. Environmental precautions**

Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. Avoid discharge to lakes, streams, sewers, etc. In the event of a leakage to the surroundings, contact the local environmental authorities.

**6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

**6.4. Reference to other sections**

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned. Smoking, consumption of food or liquid, and storage of tobacco, food or liquids are not allowed in the workrooms. Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. See section on 'Exposure controls/personal protection' for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### ▼ Storage temperature

No data available.

### ▼ 7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### ▼ OEL

No data available

#### ▼ DNEL / PNEC

No data available.

### 8.2. Exposure controls

▼ No control is necessary if the product is used in a normal way.

#### General recommendations

Observe general occupational hygiene.

#### Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

#### ▼ Exposure limits

There are no maximum exposure limits for the substances contained in this product.

#### ▼ Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

#### ▼ Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

#### ▼ Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment



#### ▼ Generally

Only CE-marked personal protection equipment should be used. Use only CE marked protective equipment.

#### Respiratory Equipment

If the ventilation at the work place is not sufficient, use a half or whole mask with an appropriate filter or an air-supplied respiratory protector. The choice depends on the concrete work situation and how long you will be using the product.

#### ▼ Skin protection

No specific requirements.

#### Hand protection

Recommended: Nitrile rubber. . Breakthrough time: See the manufacturer's instructions

#### Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

According to EC-Regulation 1907/2006 (REACH)

<b>Form</b>	<b>Colour</b>	<b>Odour</b>	<b>pH</b>	<b>Viscosity</b>	<b>Density (g/cm<sup>3</sup>)</b>
Liquid	Various colours	Faint	-	-	0,9-1
<b>Phase changes</b>					
Melting point (°C)		Boiling point (°C)		Vapour pressure (mm Hg)	
-		-		-	
<b>Data on fire and explosion hazards</b>					
Flashpoint (°C)		Ignition (°C)		Self ignition (°C)	
-		-		-	
Explosion limits (Vol %)		Oxidizing properties			
-		-			
<b>Solubility</b>					
Solubility in water		n-octanol/water coefficient			
Insoluble		-			
<b>9.2. Other information</b>					
Solubility in fat		Additional information			
-		N/A			

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

### ▼ 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance	Species	Test	Route of exposure	Result
No data available.				

#### Skin corrosion/irritation

No data available.

#### Serious eye damage/irritation

No data available.

#### Respiratory or skin sensitisation

No data available.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

#### Long term effects

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears,

tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance	Species	Test	Test duration	Result
No data available.				

### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data available.			

### 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BFC
No data available.			

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

#### Waste

EWC code

-

#### Specific labelling

-

#### Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

## SECTION 14: Transport information

Not listed as dangerous goods under ADR, IMDG and IATA/ICAO regulations.

### 14.1 – 14.4

ADR/RID	14.1. UN number	14.2. UN proper shipping name	14.3. Transport hazard class(es)	14.4. Packing group	Notes
IMDG	UN-no.	Proper Shipping Name	Class	PG*	EmS MP** Hazardous constituent
▼ IATA/ICAO	UN-no.	Proper Shipping Name	Class	PG*	

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005.

#### Demands for specific education

-

#### Additional information

-

#### Sources

EC regulation 1907/2006 (REACH)

Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information'

### ▼ Full text of H/R-phrases as mentioned in section 3

R22 - Harmful if swallowed.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50 - Very toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

R20/22 - Harmful by inhalation and if swallowed.

H302 - Harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

EUH066 - Repeated exposure may cause skin dryness or cracking.

### The full text of identified uses as mentioned in section 1

### Other symbols mentioned in section 2

-

### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

### The safety data sheet is validated by

Admin

### Date of last essential change (First cipher in SDS version)

23-09-2013

### Date of last minor change (Last cipher in SDS version)

01-05-2015

According to EC-Regulation 1907/2006 (REACH)



---

ALPHAOMEGA. Licens nr.:3003395432  
[www.chymeia.com](http://www.chymeia.com)