

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Exterior Paint

Product no.

-

REACH registration number

Not applicable

Other means of identification

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

surface treatment of wood outdoors

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

WoodCare Denmark A/S

Tvæervej 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax: +45 99585634

Contact person

LFH

E-mail

info@ttwoodcare.com

SDS date

18-02-2015

SDS Version

2.0

1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified as dangerous.

See full text of H/R-phrases in section 2.2.

DPD/DSD Classification

-

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R52/53).

2.2. Label elements

Hazard pictogram(s)

-

Signal word

-

Hazard statement(s)

-

| | | |
|----------------------------|------------|---|
| Safety statement(s) | General | - |
| | Prevention | - |

According to EC-Regulation 1907/2006 (REACH)

Response -
Storage -
Disposal -

Identity of the substances primarily responsible for the major health hazards

-

2.3. Other hazards

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying. This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

Additional labelling

Contains propiconazole, 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction. Safety data sheet available on request. (EUH210)

Additional warnings

-

VOC

VOC-MAX: 90 g/l, MAXIMUM VOC CONTENT (A (WB)): 130 g/l.

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances

NAME: 2-(2-ethoxyethoxy)ethanol
IDENTIFICATION NOS.: CAS-no: 111-90-0 EC-no: 203-919-7
CONTENT: 1-5%
DSD CLASSIFICATION: -
CLP CLASSIFICATION: -

NAME: 2-butoxyethanol
IDENTIFICATION NOS.: CAS-no: 111-76-2 EC-no: 203-905-0 Index-no: 603-014-00-0
CONTENT: 1-5%
DSD CLASSIFICATION: Xn; R20/21/22 Xi; R36/38
CLP CLASSIFICATION: Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2
H302, H312, H315, H319, H332
NOTE: S

NAME: Poly(oxy-1,2-ethandiyl),α-
IDENTIFICATION NOS.: CAS-no: 68987-90-6
CONTENT: <1%
DSD CLASSIFICATION: Xn;R22 Xi;R41 N;R51/53
CLP CLASSIFICATION: Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 2
H302, H318, H411

NAME: propiconazole
IDENTIFICATION NOS.: CAS-no: 60207-90-1 EC-no: 262-104-4 Index-no: 613-205-00-0
CONTENT: <1%
DSD CLASSIFICATION: Xn; R22 R43 N; R50-53
CLP CLASSIFICATION: Acute tox. 4, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1
H302, H317, H400, H410

NAME: 3-iodo-2-propynyl butylcarbamate
IDENTIFICATION NOS.: CAS-no: 55406-53-6 EC-no: 259-627-5
CONTENT: <1%
DSD CLASSIFICATION: Xn;R20/22 Xi;R41 R43 N;R50
CLP CLASSIFICATION: Acute Tox. 4, STOT SE 3, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1
H302, H317, H318, H332, H335, H400

(*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.
S = Organic solvent

Other informations

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation

Get the person into fresh air and stay with them.

Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns

Rinse with water until the pain stops and continue for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Sulphur oxides. Carbon oxides. Some metal oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original.

Storage temperature

No data available.

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

2-butoxyethanol (EH40/2005)

Long-term exposure limit (8-hour TWA reference period): 25 ppm | - mg/m³

Short-term exposure limit (15-minute reference period): 50 ppm | - mg/m³

Comments: Sk BMGV (Bmgv = Biological Monitoring Guidance Value. Sk = Can be absorbed through skin.)

DNEL / PNEC

No data available.

8.2. Exposure controls

Compliance with the stated exposure limits values should be checked on a regular basis.

General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

Exposure limits

Trade users are covered by the rules of the working environment legislation on maximum concentrations for exposure. See work hygiene threshold values below.

Appropriate technical measures

Airborne gas and dust concentrations must be kept as low as possible and below the current threshold values (see below). Use for example an exhaust system if the normal air flow in the work room is not sufficient. Make sure that eyewash and emergency showers are clearly marked.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Only CE-marked personal protection equipment should be used. Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

According to EC-Regulation 1907/2006 (REACH)

No specific requirements.

Hand protection

Recommended: Nitrile rubber. . Breakthrough time: See the manufacturer's instructions

Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Form | Colour | Odour | pH | Viscosity | Density (g/cm ³) |
|--------|-----------------|-------|----|-----------|------------------------------|
| Liquid | Various colours | Faint | - | - | 1,2-1,3 |

Phase changes

| Melting point (°C) | Boiling point (°C) | Vapour pressure (mm Hg) |
|--------------------|--------------------|-------------------------|
| - | - | - |

Data on fire and explosion hazards

| Flashpoint (°C) | Ignition (°C) | Self ignition (°C) |
|--------------------------|----------------------|--------------------|
| - | - | - |
| Explosion limits (Vol %) | Oxidizing properties | |
| - | - | |

Solubility

| Solubility in water | n-octanol/water coefficient |
|---------------------|-----------------------------|
| Soluble | - |

9.2. Other information

| Solubility in fat | Additional information |
|-------------------|------------------------|
| - | N/A |

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| Substance | Species | Test | Route of exposure | Result |
|--------------------|---------|------|-------------------|--------|
| No data available. | | | | |

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Long term effects

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

SECTION 12: Ecological information

12.1. Toxicity

| Substance | Species | Test | Test duration | Result |
|--------------------|---------|------|---------------|--------|
| No data available. | | | | |

12.2. Persistence and degradability

| Substance | Biodegradability | Test | Result |
|--------------------|------------------|------|--------|
| No data available. | | | |

12.3. Bioaccumulative potential

| Substance | Potential bioaccumulation | LogPow | BFC |
|--------------------|---------------------------|--------|-----|
| No data available. | | | |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

This product is not covered by the regulations on dangerous waste.

Waste

EWC code

-

Specific labelling

-

Contaminated packing

No specific requirements.

SECTION 14: Transport information

Not listed as dangerous goods under ADR, IMDG and IATA/ICAO regulations.

14.1 – 14.4

| ADR/RID | 14.1. UN number | 14.2. UN proper shipping name | 14.3. Transport hazard class(es) | 14.4. Packing group | Notes |
|---------|-----------------|-------------------------------|----------------------------------|---------------------|--------------------------------|
| IMDG | UN-no. | Proper Shipping Name | Class | PG* | EmS MP** Hazardous constituent |

| IATA/ICAO | UN-no. | Proper Shipping Name | Class | PG* |
|-----------|--------|----------------------|-------|-----|
|-----------|--------|----------------------|-------|-----|

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005.

Demands for specific education

-

Additional information

-

Sources

EC regulation 1907/2006 (REACH)

Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

15.2. Chemical safety assessment

No

SECTION 16: Other information'

▼ Full text of H/R-phrases as mentioned in section 3

R22 - Harmful if swallowed.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50 - Very toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

R20/22 - Harmful by inhalation and if swallowed.

R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.

R36/38 - Irritating to eyes and skin.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H302 - Harmful if swallowed.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

H411 - Toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

-

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

According to EC-Regulation 1907/2006 (REACH)



The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

Admin

**Date of last essential change
(First cipher in SDS version)**

16-02-2015

**Date of last minor change
(Last cipher in SDS version)**

18-02-2015

ALPHAOMEGA. Licens nr.:3003395432
www.chymeia.com