

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Master Floor Oil

**Product no.**

-

**REACH registration number**

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

wood surfaces, indoors

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

WOCA Denmark A/S

Tværvej 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax: +45 99585636

**Contact person**

LFH

**E-mail**

info@ttwoodcare.com

**SDS date**

2017-02-10

**SDS Version**

3.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### ▼ 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

### 2.2. Label elements

**Hazard pictogram(s)**

-

**Signal word**

-

**Hazard statement(s)**

-

**Safety statement(s)**

General	-
Prevention	-
Response	-
Storage	-
Disposal	-

### Identity of the substances primarily responsible for the major health hazards

-

#### ▼2.3. Other hazards

Contains drying oils. Risk of self-ignition. Spills, soiled rags, etc. must be contained, stored in fire-proof waste containers and then destroyed.

This product contains an organic solvent. Repeated or prolonged exposure to organic solvents may result in adverse effects to the nervous system and internal organs such as liver and kidneys.

#### ▼Additional labelling

Safety data sheet available on request. (EUH210)

Repeated exposure may cause skin dryness or cracking. (EUH066)

#### Additional warnings

-

#### ▼VOC

VOC-MAX: 430 g/l, MAXIMUM VOC CONTENT (A/i (SB)): 500 g/l.

## SECTION 3: Composition/information on ingredients

### ▼3.1/3.2. Substances/Mixtures

NAME:	Alkanes, C12-15-branched and linear
IDENTIFICATION NOS.:	CAS-no: 1437281-03-2 EC-no: 940-727-9 REACH-no: 012120083064-61
CONTENT:	25-40%
CLP CLASSIFICATION:	Asp. Tox. 1, H304, EUH066
NOTE:	S

NAME:	Naphtha (petroleum), hydrotreated heavy
IDENTIFICATION NOS.:	CAS-no: 64742-48-9 REACH-no: 01-2119457273-39
CONTENT:	1-3%
CLP CLASSIFICATION:	Asp. Tox. 1 H304, EUH066
NOTE:	S

(\*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

S = Organic solvent

#### Other information

ATEmix(inhale, vapour) > 20

ATEmix(oral) > 2000

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### ▼General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### ▼Inhalation

Bring the person into fresh air and stay with him.

#### ▼Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### ▼Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### ▼Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable

▼ **4.2. Most important symptoms and effects, both acute and delayed**

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

No special

**Information to medics**

Bring this safety data sheet.

## SECTION 5: Firefighting measures

▼ **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

▼ **5.2. Special hazards arising from the substance or mixture**

No special

▼ **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

**6.2. Environmental precautions**

No specific requirements.

▼ **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

▼ **6.4. Reference to other sections**

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

## SECTION 7: Handling and storage

▼ **7.1. Precautions for safe handling**

Because of the danger of self-ignition, any waste from the product (spills, soiled rags etc.) are to be kept in a fire-proof place in air-tight containers, alternatively the waste can be burned. Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection.

▼ **7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

**Storage temperature**

Store frost-free.

▼ **7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters**

▼ **OEL**

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

▼ **DNEL / PNEC**

No data available

## 8.2. Exposure controls

▼ Control is unnecessary if the product is used as intended.

### General recommendations

▼ Smoking, eating and drinking are not allowed in the work premises

### Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

## Individual protection measures, such as personal protective equipment



### Generally

Use only CE marked protective equipment.

### Respiratory Equipment

If ventilation at the work place is insufficient, use a half- or whole mask with an appropriate filter or an air-supplied breathing apparatus depending on the concrete work situation and how long you will be using the product.

### Skin protection

Wear appropriate protection clothing, e.g. coveralls in polypropylene approved type 6 and Category III.

### Hand protection

Recommended: Nitrile rubber. See the manufacturer's instructions.

### Eye protection

Wear safety glasses with side shields.

## SECTION 9: Physical and chemical properties

### ▼ 9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Various colours
Odour	Faint
pH	No data available.
Viscosity (40°C)	22-32 DIN CUP 4
Density (g/cm <sup>3</sup> )	0,88-0,98

### Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.

### ▼ Data on fire and explosion hazards

Flashpoint (°C)	>85
Ignition (°C)	No data available.
Self-ignition (°C)	No data available.
Explosion limits (Vol %)	No data available.

### Solubility

Solubility in water	Insoluble
n-octanol/water coefficient	No data available.

### 9.2. Other information

Solubility in fat (g/L)	No data available.
-------------------------	--------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### ▼ 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### ▼ 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### ▼ 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### ▼ Acute toxicity

Substance	Species	Test	Route of exposure	Result
Naphtha (petroleum), hydrotrea...	Rat	LD50	Oral	>5000mg/kg
Naphtha (petroleum), hydrotrea...	Rat	LD50	Dermal	>2000mg/kg
Naphtha (petroleum), hydrotrea...	Rat	LC50	Inhalation	>5000mg/m <sup>3</sup> /4h
Naphtha (petroleum), hydrotrea...	Rat	LD50	Oral	> 5000 mg/kg
Naphtha (petroleum), hydrotrea...	Rabbit	LD50	Dermal	> 5000 mg/kg
Alkanes, C12-15-branched and l...				
Alkanes, C12-15-branched and l...				

#### ▼ Skin corrosion/irritation

No data available.

#### Serious eye damage/irritation

No data available.

#### ▼ Respiratory or skin sensitisation

No data available.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

#### ▼ Long term effects

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance	Species	Test	Duration	Result
No data available.				

### 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data available.			

According to EC-Regulation 2015/830

No data available.

**12.3. Bioaccumulative potential**

Substance	Potential bioaccumulation	LogPow	BCF
-----------	---------------------------	--------	-----

No data available.

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

No data available

▼ **12.6. Other adverse effects**

No special

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Product is not covered by regulations on dangerous waste.

**Waste**

EWC code

-

**Specific labelling**

-

**Contaminated packing**

No specific requirements.

**SECTION 14: Transport information**

**14.1 – 14.4**

Not dangerous goods according to ADR, IATA and IMDG.

**ADR/RID**

14.1. UN number	-
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	-
14.4. Packing group	-
Notes	-
Tunnel restriction code	-

**IMDG**

UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-
EmS	-
MP**	-
Hazardous constituent	-

**IATA/ICAO**

UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

No data available

(\*) Packing group  
 (\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### ▼ Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

#### Demands for specific education

-

#### Additional information

-

#### Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).  
EC regulation 1907/2006 (REACH).

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

#### ▼ Full text of H-phrases as mentioned in section 3

H304 - May be fatal if swallowed and enters airways.

EUH066 - Repeated exposure may cause skin dryness or cracking.

#### The full text of identified uses as mentioned in section 1

-

#### Other symbols mentioned in section 2

-

#### Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of physical hazards has been based on experimental data. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

#### The safety data sheet is validated by

LFH

#### Date of last essential change (First cipher in SDS version)

2016-08-02

#### Date of last minor change (Last cipher in SDS version)

2016-08-02